

1 **CITY OF HOMER**
2 **HOMER, ALASKA**

3 City Manager/
4 Public Works Director

5 **ORDINANCE 22-80**

6
7 AN ORDINANCE OF THE CITY COUNCIL OF HOMER, ALASKA
8 AMENDING THE FY23 CAPITAL BUDGET BY APPROPRIATING
9 \$271,517 FROM THE SEWER CAPITAL ASSET REPAIR AND
10 MAINTENANCE ALLOWANCE (CARMA) FUND FOR THE
11 REHABILITATION OF THE ELECTRICAL CONTROL WORKS FOR THE
12 CITY'S SEWAGE LIFT STATIONS.

13
14 WHEREAS, In 2020, the City's approved Capital Budget, adopted via Ordinance 20-57,
15 included \$210,900 to upgrade the SCADA in the City's eight lift stations, which are identified on
16 the City's Water/Sewer Asset Management Plan as being in critical condition and high risk; and
17

18 WHEREAS, This project was delayed for a variety of reasons and was one of the projects
19 recommended for "repackaging" in the City Manager's Memorandum 22-157; and
20

21 WHEREAS, We have identified six of the lift stations as being at the most risk of failure
22 and plan to renovate those first and the other two later.
23

24 NOW, THEREFORE, THE CITY OF HOMER ORDAINS:
25

26 Section 1. The Homer City Council hereby amends the FY23 Capital Budget by
27 appropriating \$271,517 to pay for the rehabilitation of electrical/control works for the City's
28 sewage lift stations as follows:
29


<u>Fund</u>	<u>Description</u>	<u>Amount</u>
256-0379	Sewer CARMA	\$271,517

30
31
32
33 Section 2. This is a budget amendment ordinance only, is not permanent in nature, and
34 shall not be codified.
35


36 ENACTED BY THE CITY COUNCIL OF HOMER, ALASKA, this 28th day of November, 2022.
37
38

39 CITY OF HOMER
40

41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61


KEN CASTNER, MAYOR

ATTEST:


MELISSA JACOBSEN, MMC, CITY CLERK



YES: 6
NO: 0
ABSTAIN: 0
ABSENT: 0
First Reading: 11.14.22
Public Reading: 11.28.22
Second Reading: 12.28.22
Effective Date: 11.29.22